AUTHOR INDEX

Volume 68 • 1995

Abe, K. *See* Aoyagi, A.
Aihara, S., Murakami, N., Tomita, T., Naruse, T. and Namba, K.
Indomethacin on cytokines in pleurisy 271
Akagi, M. *See* Fukuishi, N.
Akagi, R. *See* Fukuishi, N.
Akata, T., Kodama, K. and Takahashi, S.
Endothelium and rhythmic vasoconstriction 331
An, J. *See* Okamura, T.
Aniya, Y., Fong, K.F., Naito, A. and Sakanashi, M.
Antioxidative action of bopindolol 323
Aoki, M. *See* Togari, A.
Aoyagi, A., Saito, H. and Abe, K.
Microtubules and axonal branching 223
Arai, M. *See* Togari, A.
Awaji, T. *See* Hashimoto, K.

Banno, A. *See* Togari, A.

Chen, Y.-N. *See* Watanabe, T.X.
Chihara, T., Nakamura, S., Onogawa, T., Yamashita, Tatsuya, Yamamura, Y., Mori, T., Tominaga, M. and Yabuuchi, Y.
V_1-blocking action of OPC-21268 in dogs 345
Chikahisa, L. *See* Oyama, Y.

Doi, H. *See* Narita, H.

Egawa, T. *See* Ichimaru, Y.
Egawa, T., Ichimaru, Y., Imanishi, T. and Sawa, A.
Fluvoxamine and forced swimming-test 71

Fong, K.F. *See* Aniya, Y.
Fujibayashi, K. and Iizuka, Y.
Antinociceptive effect of R-84760 57
Fujikura, N. *See* Yamashita, Toru
Fujita, N. *See* Iida, M.
Fukuishi, N., Kan, T., Hirose, K., Akagi, R. and Akagi, M.
Effect of epinastine on O_2^- generation 449

Gemba, M. *See* Yonehana, T.
Geng, M.-Y., Saito, H. and Katsuki, H.
Thiamine and neuronal cell survival 349

Harada, K. *See* Murata, Y.
Harada, Y. *See* Yamazaki, J.
Harai, K. *See* Morohashi, T.
Haruno, A. *See* Hashimoto, K.
Haruno, A. and Hashimoto, K.
Antiarrhythmic effects of bisaramil 95
Hashimoto, K. *See* Haruno, A.
—— See Oguchi, T.
Hashimoto, K., Haruno, A., Hirasawa, A., Awaji, T., Xue, Y. and Wu, Z.
Antiarrhythmic effects of MS-551 1
Hashimoto, M. *See* Uchida, N.
Hatakeyama, Y. *See* Oyama, Y.
Hattori, K. *See* Shinozuka, K.
Hirasawa, A. *See* Hashimoto, K.
Hirose, K. *See* Fukuishi, N.
Hori, M., Shimizu, K., Nakajyo, S., Karaki, H. and Urakawa, N.
Li^+-inhibition of smooth muscle contraction 111

Horinouchi, T. *See* Koike, K.
Hosono, M. *See* Iida, M.

Ichimaru, Y. *See* Egawa, T.
Ichimaru, Y., Egawa, T. and Sawa, A.
Fluvoxamine and burying behavior 65
Icho, T. *See* Kurobane, T.
Iida, M., Fujita, N., Hosono, M. and Sukenaga, Y.
Bronchodilator effects of NKH477 245
Iizuka, Y. *See* Fujibayashi, K.
Ikeda, M., Suzuki, Motohisa, Watarai, K., Sagai, M. and Tomita, T.
Impairment of endothelium functions by DEP 183
Imaizumi, Y. *See* Ishii, Y.
Imanishi, T. *See* Egawa, T.
Inaba, N. *See* Onodera, S.
Inaguma, K. *See* Ito, M.
Ishihara, K. *See* Tsujiyama, S.
Ishii, Y., Muraki, K., Kurihara, A., Imaizumi, Y. and Watanabe, M.
Sematilide on action potential in atrium 175
Itahara, Y. *See* Watanabe, T.X.
Ito, M., Inaguma, K., Suzuki, Yoshinori, Segami, T. and Suzuki, Yoshio
Anti-ulcer effect of zinc-cimetidine complex 287
Iwama, T. *See* Yamamoto, A.

Jodar, L. and Kaneto, H.
Synaptic plasticity and memory 359

Kaburaki, M. *See* Narita, H.
Kajiwara, Y. *See* Kurobane, T.
Kan, T. *See* Fukuishi, N.
Kaneto, H. *See* Jodar, L.
—— *See* Rahman, A.F.M.M.
Karaki, H. *See* Hori, M.
Karasawa, A. *See* Kusaka, H.
—— *See* Nomura, H.
—— *See* Suzuki, Mayumi
Kashimoto, S. *See* Oguchi, T.
Katsuki, H. *See* Geng, M.-Y.
Kawamura, N. *See* Yamashita, Toru
Kawasaki, K. *See* Yasui, M.
Kimura, I., Wakasono, S. and Kimura, M.
CCK-inhibition of cerebral ACh release 129
Kimura, M. *See* Kimura, I.
Kimura, S. *See* Nishiyama, M.
Kimura, Teiji *See* Kogushi, M.
Kimura, Terutoshi *See* Watanabe, T.X.
Kishibayashi, N. *See* Suzuki, Mayumi
Kobayashi, H. *See* Kogushi, M.
Kodama, K. *See* Akata, T.
Kogushi, M., Tanaka, H., Kobayashi, H., Yamada, T., Ohtsuka, I., Kimura, Teiji and Saito, I.
E5324, ACAT inhibitor of macrophages 191
Koike, K., Horinouchi, T. and Takayanagi, I.
β_3-Adrenoceptor in guinea pig taenia caecum 41
Kojima, S. *See* Kurobane, T.
Kokubun, T. *See* Oyama, Y.
Kubota, K. *See* Kurobane, T.

Kumazawa, T. *See* Oguchi, T.
Kunitomo, M. *See* Shinozuka, K.
Kurata, N. *See* Uchida, N.
Kuratani, K. *See* Nomura, K.
Kurihara, A. *See* Ishii, Y.
Kurobane, T., Kojima, S., Yoshimura, M., Icho, T., Kajiwara, Y. and Kubota, K.
Protective effect of NPH_4 on CHP-cell injury 263
Kuroda, H. *See* Watanabe, T.X.
Kusaka, H. *See* Nomura, H.
Kusaka, H., Nagashima, K. and Karasawa, A.
Renal effects of adenosine A_1-antagonist 213

Maeda, N. *See* Nomura, K.
Maeda, N., Matsuoka, N., Yamazaki, M. and Yamaguchi, I.
CNS mechanisms in erection by FR121196 85
Maruo, J. *See* Murata, Y.
Masaki, T. *See* Nishiyama, M.
Masuda, Yoshiaki *See* Yamaguchi, H.
Masuda, Yukinori *See* Yamashita, Toru
Matsumoto, S. *See* Togari, A.
Matsuo, Y. *See* Saito, E.
Matsuoka, N. *See* Maeda, N.
Mori, T. *See* Chihara, T.
Morita, T. *See* Murata, Y.
Moriya, H. *See* Suzuki, T.
Morohashi, T., Sano, T., Harai, K. and Yamada, S.
Sr effects in ovariectomized rats 153
Moroi, K. *See* Nishiyama, M.
Murakami, N. *See* Aihara, S.
Muraki, K. *See* Ishii, Y.
Murata, S. *See* Narita, H.
Murata, Y., Harada, K., Nakajima, F., Maruo, J. and Morita, T.
Non-selective effects of amiloride analogues 279
Murayama, S. *See* Suzuki, T.

Nagai, H. *See* Yamamoto, A.
Nagamatsu, T. *See* Nagao, Toshiyuki
Nagao, Taku *See* Yamazaki, J.
Nagao, Toshiyuki, Nagamatsu, T. and Suzuki, Yoshio
Effect of DP-1904 on crescentic nephritis 137
Nagashima, K. *See* Kusaka, H.
—— *See* Nomura, H.
Naito, A. *See* Aniya, Y.
Nakagawa, S. *See* Togari, A.
Nakajima, F. *See* Murata, Y.
Nakajyo, S. *See* Hori, M.
Nakamura, S. *See* Chihara, T.
Nakaya, H. *See* Suzuki, T.
—— *See* Yamaguchi, H.
Namba, K. *See* Aihara, S.
Narita, H., Kaburaki, M., Doi, H., Yasoshima, A. and Murata, S.
Antithrombotic effect of TA-993 in rats 397
Naruse, T. *See* Aihara, S.
Nemoto, T. *See* Suzuki, T.
Nishimura, Y. *See* Uchida, N.
Nishiyama, M., Moroi, K., Shan, L.-H., Yamamoto, M., Takasaki, C., Masaki, T. and Kimura, S.
Two different ETB receptors in veins 235
Nomura, H., Nagashima, K., Kusaka, H. and Karasawa, A.
Antihypertensive effect of KW-3902 389
Nomura, K., Maeda, N., Kuratani, K. and Yamaguchi, I.
Sulpiride and psychological stress 33

Obata, Y. *See* Yokota, K.
Oda, M. *See* Yokota, K.

Ogihara, M.
Insulin and α_2-responses in hepatocytes 11
Oguchi, T., Kashimoto, S., Yamaguchi, T., Kumazawa, T. and Hashimoto, K.
Heart and intravenous anesthetics 413
Ohara, F. *See* Yamazaki, J.
Ohnishi, H. *See* Onodera, S.
Ohnishi, M., Watanabe, Y. and Shibuya, T.
Excito-toxicity amplified by SITS 315
Ohtsuka, I. *See* Kogushi, M.
Okabe, S. *See* Tsukimi, Y.
Okamoto, Y. *See* Suzuki, T.
Okamura, T., Uchiyama, M., An, J. and Toda, N.
NO-mediated neurogenic venous relaxation 405
Okuma, Y., Yokotani, K. and Osumi, Y.
Bombesin and sympatho-adrenal activity 227
Onodera, S., Shibata, M., Tanaka, M., Inaba, N., Yamaura, T. and Ohnishi, H.
Gastroprotective action of FRG-8813 161
Onogawa, T. *See* Chihara, T.
Osumi, Y. *See* Okuma, Y.
Oyama, Y., Chikahisa, L., Ueha, T., Hatakeyama, Y. and Kokubun, T.
$A\beta P(25-35)$ on membrane permeability 77

Rahman, A.F.M.M., Takahashi, M. and Kaneto, H.
GABA, formalin pain and morphine tolerance 207

Sagai, M. *See* Ikeda, M.
Saito, E. and Matsuo, Y.
Leminoprazole on acid secretion in vitro 19
Saito, H. *See* Aoyagi, A.
—— *See* Geng, M.-Y.
Saito, I. *See* Kogushi, M.
Saito, T. *See* Yamaguchi, H.
Sakakibara, S. *See* Watanabe, T.X.
Sakanashi, M. *See* Aniya, Y.
Sano, T. *See* Morohashi, T.
Sasa, M. *See* Tsujiyama, S.
Sawa, A. *See* Egawa, T.
—— *See* Ichimaru, Y.
Segami, T. *See* Ito, M.
Sekikawa, T. *See* Suzuki, T.
Shan, L.-H. *See* Nishiyama, M.
Shibata, M. *See* Onodera, S.
Shibuya, T. *See* Ohnishi, M.
Shimada, H. *See* Sugino, H.
Shimada, K. *See* Uchida, N.
Shimizu, K. *See* Hori, M.
Shimoura, K. *See* Shinozuka, K.
Shinozuka, K., Kunitomo, M., Shimoura, K. and Hattori, K.
ATP release by endogenous noradrenaline 125
Sugino, H. and Shimada, H.
Uricosuric effect of E5050 in rats 297
Sukenaga, Y. *See* Iida, M.
Suzuki, Mayumi, Tomaru, A., Kishibayashi, N. and Karasawa, A.
DPCPX on gastrointestinal propulsion 119
Suzuki, Motohisa *See* Ikeda, M.
Suzuki, T., Okamoto, Y., Sekikawa, T., Nemoto, T., Moriya, H., Murayama, S. and Nakaya, H.
GABAergic drugs on spinal cord ischemia 423
Suzuki, Yoshinori *See* Ito, M.
Suzuki, Yoshio *See* Ito, M.
—— *See* Nagao, Toshiyuki

Takahashi, M. *See* Rahman, A.F.M.M.

Takahashi, S. *See* Akata, T.
Takasaki, C. *See* Nishiyama, M.
Takayanagi, I. *See* Koike, K.
Takeda, H. *See* Yamamoto, A.
Tanaka, H. *See* Kogushi, M.
Tanaka, M. *See* Onodera, S.
Tanaka, S. *See* Yamashita, Toru
Toda, N. *See* Okamura, T.
Togari, A., Arai, M., Nakagawa, S., Banno, A., Aoki, M. and Matsumoto, S.
Bone status change with ascorbic acid-deficiency 255
Tomaru, A. *See* Suzuki, Mayumi
Tominaga, M. *See* Chihara, T.
Tomita, T. *See* Aihara, S.
Tomita, T. *See* Ikeda, M.
Tsujiyama, S., Ujihara, H., Ishihara, K. and Sasa, M.
20-Hydroxyecdysone on GABA effects 133
Tsukimi, Y. and Okabe, S.
Aging and ulcer healing 103

Uchida, E. *See* Uchida, N.
Uchida, N., Kurata, N., Shimada, K., Nishimura, Y., Yasuda, K., Hashimoto, M., Uchida, E. and Yasuhara, H.
Changes in drug metabolism in CRF rats 431
Uchiyama, M. *See* Okamura, T.
Ueha, T. *See* Oyama, Y.
Uemura, H. *See* Yamaguchi, H.
Ujihara, H. *See* Tsujiyama, S.
Urakawa, N. *See* Hori, M.

Wakasono, S. *See* Kimura, I.
Watanabe, M. *See* Ishii, Y.
Watanabe, T.X., Itahara, Y., Kuroda, H., Chen, Y.-N., Kimura, Terutoshi and Sakakibara, S.
Calciseptine and FS_2 305
Watanabe, Y. *See* Ohnishi, M.
Watarai, K. *See* Ikeda, M.
Wu, Z. *See* Hashimoto, K.

Xue, Y. *See* Hashimoto, K.

Yabuuchi, Y. *See* Chihara, T.
Yamada, S. *See* Morohashi, T.
Yamada, T. *See* Kogushi, M.
Yamaguchi, H., Uemura, H., Saito, T., Masuda, Yoshiaki and Nakaya, H.
AVP on cardiac contractility and pH 217
Yamaguchi, I. *See* Maeda, N.
—— *See* Nomura, K.
Yamaguchi, T. *See* Oguchi, T.
Yamamoto, A., Iwama, T., Takeda, H. and Nagai, H.
NIP-502 inhibits bronchial responses 47
Yamamoto, M. *See* Nishiyama, M.
Yamamoto, N. *See* Yokota, K.
Yamamura, Y. *See* Chihara, T.
Yamashita, A. *See* Yokota, K.
Yamashita, Tatsuya *See* Chihara, T.
Yamashita, Toru, Masuda, Yukinori, Kawamura, N., Fujikura, N. and Tanaka, S.
Vasodilatory effect of NIP-121 145
Yamaura, T. *See* Onodera, S.
Yamazaki, J., Ohara, F., Harada, Y. and Nagao, Taku
NO-mediated relaxation induced by Ba^{2+} 25
Yamazaki, M. *See* Maeda, N.
Yasoshima, A. *See* Narita, H.
Yasuda, K. *See* Uchida, N.
Yasuhara, H. *See* Uchida, N.
Yasui, M. and Kawasaki, K.
CCK-8 augments the LTP in CA1 441
Yokota, K., Yamamoto, N., Obata, Y. and Oda, M.
Effect of KBT-3022 on PMN infiltration 353
Yokota, K., Yamashita, A. and Oda, M.
Anti-thrombotic activity of KBT-3022 201
Yokotani, K. *See* Okuma, Y.
Yonehana, T. and Gemba, M.
Hypoxia and reoxygenation-induced injury 231
Yoshimura, M. *See* Kurobane, T.

SUBJECT INDEX

Volume 68 • 1995

4-Acetamido-4′-isothiocyanostilbene-2,2′-disulfonic acid 315
Acetic acid ulcer 103
Acetylcholine 183
Acetylsalicylic acid 201
Acid secretion 19, 33, 103
Action potential duration 175
Active oxygen 263
Acyl-CoA:cholesterol acyltransferase 191
Adenosine 389
Adenosine A_1-receptor antagonist 119, 213
Adrenal nerve activity 227
α_2-Adrenergic agonist 11
β-Adrenoceptor 41
β_3-Adrenoceptor 41
β-Adrenoceptor antagonist 323
Aging 103
Amiloride analogue 279
^{14}C-Aminopyrine 19
Amyloid β-protein 77
Anesthetic 413
Antiarrhythmic agent (class III) 1, 175
Antiarrhythmic effect 95
Antigen-induced bronchial response 47
Antinociceptive effect 57
Antioxidant 263, 323
Antiplatelet agent 201, 397
Antithrombotic effect 397
Antiulcer drug 161
Arginine-vasopressin 217
Arrhythmia 95
Ascorbic acid 255
ATP release 125
Atrium (guinea pig) 175

Barium 25
Benzodiazepine receptor 207
1,5-Benzothiazepine derivative 397
Bisaramil 95
Blood pressure 245
Bombesin 227
Bone 255
Bone formation 153
Bone resorption 153
Bopindolol 323
Brain neuron 77
Bronchial response (antigen-induced) 47
Bronchodilator 245

CA1 subfield 441
Ca^{2+} channel blocker (L-type) 305
Ca^{2+} concentration 77, 111
Calciseptine 305
Calcium 153
Capsaicin-sensitive nerve 161
Cardiac function 413
Cardiac myocyte 279
Cerebeller granule cell (cultured) 315
CGP 12177 (4-[3-[(1,1-dimethylethyl)-amino]-2-hydroxypropoxy]-1,3-dihydro-2*H*-benzimidazol-2-one) 41
Cholecystokinin (CCK) 441
Cholecystokinin (CCK)-8S 129
Cholecystokinin subtype receptor (CCK_B) 441
Chronic renal failure 431
Cimetidine 287
Contractile element 111
Coronary artery 25, 145
Coronary blood flow 145
Cortical neuron (cultured) 133
Crescentic nephritis 137
Cumene hydroperoxide 263
Cyclic AMP 41
Cyclic AMP production 11
Cytochrome P450 431
Cytokine 271
Cytosolic Ca^{2+} level 111
Cytotoxicity 279

Dahl rat 389
Depression model 71
Diesel exhaust particle 183
Diuresis 389
Diuretic effect 213
Dorsal-raphe nuclei 85
DP-1904 (6-(1-imidazolylmethyl)-5,6,7,8-tetrahydronaphthalene-2-carboxylic acid hydrochloride) 137
Drug metabolism 431

E5050 (*N*-{3-[4′-(2″,6″-dimethylheptyl)-phenyl]butanoyl}ethanolamine) 297
E5324 (*n*-butyl-*N*′-[2-[3-(5-ethyl-4-phenyl-1*H*-imidazol-1-yl)propoxy]-6-methyl-phenyl]urea) 191
Endothelial cell 263
Endothelin 235
Endothelin receptor 235
Endothelin receptor antagonist 235
Endothelium 25, 125, 331
Endothelium-dependent relaxation 183
Epinastine 449
Epithelial cell 231
Experimental thrombosis 397

Fibroblast growth factor 223
Fluvoxamine 65, 71
Forced-swimming 71
Formalin test 57
Formalin treatment 207
Formyl-methionyl-leucyl-phenylalanine 353
FR121196 (*N*-[4-acetyl-1-piperazinyl]-4-fluorobenzenesulfonamide) 85
Frequency-dependence 175
FRG-8813 ((±)-2-(furfurylsulfinyl)-*N*-[4-[4-(piperidinomethyl)-2-pyridyl]oxy-(*Z*)-2-butenyl]acetamide) 161
FS_2 (peptide venom) 305

GABA receptor 207
GABAergic drug 423
Gamma-aminobutyric acid (GABA) 133
Gastric function 103
Gastric lesion 33
Gastric ulcer 287
Gastrointestinal propulsion 119
Gastroprotection 161
Glial cell 315
Glucose output (hepatocyte) 11
Glutamate uptake inhibitor 315

Heart (isolated, rat) 413
Heart rate 245
Hepatic glucose output 11
Hippocampal neuron 349
Hippocampal slice 441
Histamine H_2-receptor antagonist 161
Hypertension 389
Hypotensive activity 305
Hypoxia-reoxygenation 231

Indomethacin 271
Inflammation 271
Inhibitor 191
Inotropic effect 217
Insulin 11
Intracellular Ca^{2+} concentration 77
Intracellular pH 217
Intravenous anesthetic 413
Ion transporter 279
Ischemia 423

K^+ channel opener 145
KBT-3022 (ethyl 2-[4,5-bis(4-methoxy-phenyl)thiazol-2-yl]pyrrol-1-ylacetate) 201, 353
Kidney 389
KW-3902 (8-(noradamantan-3-yl)-1,3-dipropylxanthine) 213

Learning 359
Leminoprazole 19
Leukotriene B_4 353
Levcromakalim 145
Li^+ (lithium ion) 111
Lipid peroxidation 287, 323
Long-term potentiation (LTP) 441
Loxiglumide 129

Macrophage 191
Marble-burying 65
Mechanical property (bone) 255
Median- and dorsal-raphe nuclei 85
Membrane permeability 77
Memory 359
Mesenteric vein (monkey) 405
L-Methionine sulfoximine 315
Microtubule inhibitor 223
Monosodium urate 271

Morphine 207
MS-551 (1,3-dimethyl-6-{2-[*N*-(2-hydroxyethyl)-3-(4-nitrophenyl)-propylamino]ethylamino}-2,4 (1*H*,3*H*)-pyrimidinedione hydrochloride) 1
Myocardial metabolism 413
Myosin light chain kinase 111

Naloxone 423
Nephrectomy 431
Nephritis 137
Neurite branching 223
Neuronal survival (hippocampus) 349
Neurosteroid 133
Neutrophil (rat) 449
Neutrophil chemoattractant 271
NIP-121 ((+)-7,8-dihydro-6,6-dimethyl-7-hydroxy-8-(2-oxo-piperidine-1-yl)-6*H*-pyrano[2,3-*f*]benz-2,1,3-oxadiazole) 145
NIP-502 (4-chloro-5-(3-ethoxy-4-phenoxy-benzamine)-3(2*H*)-pyridazinone) 47
Nitric oxide (NO) 25, 331, 405
Nitric oxide synthase inhibitor 405
Nitroxidergic innervation 405
NKH477 (6-(3-dimethylaminopropionyl)-forskolin hydrochloride) 245
Nonpeptide vasopressin antagonist 345
Noradrenaline 125

O_2^- generation 449
Obsessive compulsive disorder 65
OPC-21268 (1-{1-[4-(3-acetylaminopropoxy)-benzoyl]-4-piperidyl}-3,4-dihydro-2(1*H*)-quinolinone) 345
κ-Opioid receptor agonist 57
Oscillation (artery) 331
Osteogenic disorder Shionogi (ODS) rat 255
Ovariectomy 153
Oxidative stress 231
Oxythiamine 349

Pain 57
Parietal cell 19
Partial nephrectomy 431
Particle (diesel exhaust) 183
Penile erection 85
Phenolsulfonphthalein 297
Positive inotropic effect 217
Potassium channel opener 145
Prednisolone 47
Proteinuria 137
Psychological stress 33
Pyrazinoic acid 297

QT prolongation 1

R-84760 ((3*R*)-3-(1-pyrrolidinylmethyl)-4-[(1*S*)-5,6-dichloro-1-indancarbonyl]-tetra-hydro-1,4-thiazine hydrochloride) 57
Radical scavenger 323
Rat cytokine-induced neutrophil chemo-attractant (CINC/gro) 271
Renal epithelial cell 231
Renal failure 431
Reperfusion 413
Reperfusion ventricular fibrillation 1

Saphenous artery and vein (rabbit) 235
Sarafotoxin 235
Sematilide 175
Septo-hippocampal pathway 85
Serotonin reuptake inhibitor (selective) 65, 71
Smooth muscle 111, 331
d-Sotalol 1
Spasmolytic activity 305
Spinal cord 423
Spontaneous acetylcholine release (frontal cortex) 129
Stress 33, 231
Strontium 25, 153
Sulpiride 33
Superoxide 183
Sympathetic nerve activity 227
Synaptic plasticity 359

TA-993 ((−)-*cis*-3-acetoxy-5-(2-(dimethyl-amino)ethyl)-2,3-dihydro-8-methyl-2-(4-methylphenyl)-1,5-benzothiazepin-4(5*H*)-one maleate 397
Taenia caecum (guinea pig) 41
5,6,7,8-Tetrahydroneopterin 263
Thiamine 349
Thoracic aorta (rat) 183
THP-1 191
Thrombosis model 201, 397
Thromboxane A_2 synthase inhibitor 137
Ticlopidine 201
Tolerance 207
Tonic pain 57
Triggered arrhythmia 95
Trimethadione 431

Ulcer healing 103
Urate excretion 297
Uricosuric drug 297

Vascular action 345
Vascular endothelium 331
Vascular smooth muscle 331
Vasomotion 331
Ventricular fibrillation 1
Viability 77

Zinc 287